


Aluminum Square Tube

Sharp Corners 6061-T6 / 20 Foot Lengths

| A (Inches) | t (Inches) | Weight Per Foot (Estimated) | Weight Per Piece (Estimated) |
|---------------|---------------|--------------------------------|---------------------------------|
|---------------|---------------|--------------------------------|---------------------------------|

| | | | |
|-------|-------|-------|---------|
| 0.750 | 0.062 | 0.205 | 4.100 |
| 1.000 | 0.062 | 0.280 | 5.600 |
| 1.000 | 0.125 | 0.524 | 10.480 |
| 1.250 | 0.125 | 0.674 | 13.480 |
| 1.500 | 0.062 | 0.428 | 8.560 |
| 1.500 | 0.125 | 0.825 | 16.500 |
| 1.500 | 0.188 | 1.180 | 23.600 |
| 1.500 | 0.250 | 1.470 | 29.400 |
| 1.750 | 0.125 | 0.920 | 18.400 |
| 2.000 | 0.125 | 1.126 | 22.520 |
| 2.000 | 0.188 | 1.640 | 32.800 |
| 2.000 | 0.250 | 2.100 | 42.000 |
| 2.500 | 0.125 | 1.426 | 28.520 |
| 2.500 | 0.188 | 2.084 | 41.680 |
| 2.500 | 0.250 | 2.700 | 54.000 |
| 3.000 | 0.125 | 1.730 | 34.600 |
| 3.000 | 0.188 | 2.531 | 50.620 |
| 3.000 | 0.250 | 3.300 | 66.000 |
| 3.500 | 0.125 | 1.970 | 39.400 |
| 3.500 | 0.250 | 3.822 | 76.440 |
| 4.000 | 0.125 | 2.326 | 46.520 |
| 4.000 | 0.188 | 3.371 | 67.420 |
| 4.000 | 0.250 | 4.500 | 90.000 |
| 4.000 | 0.375 | 6.526 | 130.520 |
| 4.000 | 0.500 | 8.400 | 168.000 |
| 5.000 | 0.250 | 5.390 | 107.800 |
| 6.000 | 0.188 | 5.245 | 104.900 |




Aluminum Square Tube

Sharp Corners 6061-T6 / 20 Foot Lengths

| A (Inches) | t (Inches) | Weight Per Foot (Estimated) | Weight Per Piece (Estimated) |
|---------------|---------------|--------------------------------|---------------------------------|
|---------------|---------------|--------------------------------|---------------------------------|

| | | | |
|-------|-------|--------|---------|
| 6.000 | 0.250 | 6.760 | 135.200 |
| 6.000 | 0.500 | 13.200 | 264.000 |
| 8.000 | 0.250 | 9.021 | 180.420 |
| 8.000 | 0.375 | 13.450 | 269.000 |
| 8.000 | 0.500 | 17.640 | 352.800 |



Aluminum Square Tube

Sharp Corners 6063-T52 / 24 Foot Lengths

| A (Inches) | t (Inches) | Weight Per Foot (Estimated) | Weight Per Piece (Estimated) |
|---------------|---------------|--------------------------------|---------------------------------|
|---------------|---------------|--------------------------------|---------------------------------|

| | | | |
|-------|-------|-------|---------|
| 0.500 | 0.063 | 0.130 | 3.120 |
| 0.750 | 0.063 | 0.208 | 4.992 |
| 0.750 | 0.125 | 0.374 | 8.979 |
| 1.000 | 0.062 | 0.280 | 6.720 |
| 1.000 | 0.125 | 0.524 | 12.576 |
| 1.250 | 0.062 | 0.354 | 8.496 |
| 1.250 | 0.125 | 0.674 | 16.180 |
| 1.500 | 0.125 | 0.824 | 19.776 |
| 1.750 | 0.125 | 0.974 | 23.380 |
| 2.000 | 0.125 | 1.126 | 27.024 |
| 2.000 | 0.250 | 2.100 | 50.400 |
| 2.500 | 0.125 | 1.426 | 34.220 |
| 3.000 | 0.125 | 1.725 | 41.400 |
| 3.000 | 0.250 | 3.300 | 79.200 |
| 4.000 | 0.125 | 2.326 | 55.820 |
| 4.000 | 0.188 | 3.400 | 82.560 |
| 4.000 | 0.250 | 4.500 | 108.000 |
| 4.500 | 0.188 | 3.892 | 93.408 |
| 5.000 | 0.125 | 2.926 | 70.224 |
| 5.000 | 0.188 | 4.342 | 104.200 |
| 6.000 | 0.125 | 3.530 | 84.720 |
| 6.000 | 0.188 | 5.240 | 125.760 |
| 6.000 | 0.250 | 6.760 | 162.240 |
| 8.000 | 0.188 | 7.050 | 169.200 |